Contents of Volumes 123, 124

(Special Issue: Frontiers in Colloid Chemistry - An International Festschrift to Professor Stig. E. Friberg)

| Professor Stig Erik Friberg 65 years | 1 |
|--|-----|
| Those who made it possible | 3 |
| Hydrophobicity, specific ion adsorption and reactivity | |
| B.W. Ninham (Canberra, Australia), K. Kurihara (Nagoya, Japan) and O.I. Vinogradova (Moscow, Russia) | 7 |
| Macroemulsions versus microemulsions | |
| H. Wennerström, O. Söderman, U. Olsson and B. Lindman (Lund, Sweden) | 13 |
| Micellization of amphiphiles: selected aspects | |
| R. Zana (Strasbourg, France) | 27 |
| Synthesis of new sugar-based surfactants having biological applications: key role of their self-association | |
| I. Rico-Lattes and A. Lattes (Toulouse, France) | 37 |
| Non-conventional Surfactants from Amino Acids and Glycolipids: Structure, Preparation and Properties | |
| MaR. Infante, A. Pinazo and J. Seguer (Barcelona, Spain) | 49 |
| Preparation and characterization of nonionic surfactant vesicles | |
| J.A. Bouwstra, D.A. van Hal, H.E.J. Hofland and H.E. Junginger (Leiden, The Netherlands) | 71 |
| Molecular aspects of electron transfer at electrodes in micellar solutions | |
| J.F. Rusling (Connecticut, CT, USA) | 81 |
| Effects of hydrocarbon and triglyceride oils on butanol distribution in water-in-oil cationic microemulsions | |
| J. Yao and L.S. Romsted (New Brunswick, NJ, USA) | 89 |
| A CIDEP study of photolized p-benzosemiquinone radical in homogeneous solvents and micellar solutions | |
| H. Su, G. Li, L. Zheng (Jinan, China), T. Lu and W. Zhang (Wuhu, China) | 107 |
| Incorporation of non-steroidal anti-inflammatory drugs into specific monophasic formulations | |
| J.L. Parra, L. Coderch, I. Yuste and A. de la Maza (Barcelona, Spain) | 115 |
| Aggregation studies in alkanoic acid-alkylamine-water systems | |
| S. Backlund, R. Friman and S. Karlsson (Åbo, Finland) | 125 |
| Complexation between benzoic acid and fatty amines: an adsorption and chemometric study | |
| B.G. Sæten, J. Sjöblom, J. Toft and O.M. Kvalheim (Bergen, Norway) | 135 |
| The characterization of small emulsion droplets made from milk proteins and triglyceride oil | |
| D.G. Dalgleish, S.J. West and F.R. Hallett (Guelph, Ont., Canada) | 145 |
| The role of additives for the behaviour of thin emulsion films stabilized by proteins | |
| K.G. Marinova, T.D. Gurkov, O.D. Velev, I.B. Ivanov (Sofia, Bulgaria), B. Campbell and R.P. Borwankar | |
| (Glenview, IL, USA) | 155 |
| Functions of mixed emulsifiers and emulsifying waxes in dermatological lotions and creams | |
| G.M. Eccleston (Glasgow, UK) | 169 |
| Inorganic "silicone oil" microgels | 400 |
| M.I. Goller, T.M. Obey, D.O.H. Teare, B. Vincent and M.R. Wegener (Bristol, UK) | 183 |
| Video enhanced microscopic investigation of reversible Brownian coagulation in dilute oil-in-water emulsions | |
| O Halt O Sother I Sichlam (Pargen Norway) S.S. Dukhin and N.A. Michchuk (Kiev Ilkraine) | 195 |

| Evaluation of stability ratio in oil-in-water emulsions | |
|---|-------|
| S.V. Verbich, S.S. Dukhin, A. Tarovski (Kiev, Ukraine), Ø. Holt, Ø. Sæther and J. Sjöblom (Bergen, Norway) | 209 |
| Ageing of interfacially active components and its effect on emulsion stability as studied by means of high voltage | |
| dielectric spectroscopy measurements | |
| MH. Ese, J. Sjöblom (Bergen, Norway), H. Førdedal, O. Urdahl (Trondheim, Norway) and H.P. Rønningsen | |
| (Stavanger, Norway) | 225 |
| Double emulsions — scope, limitations and new achievements | |
| N. Garti (Jerusalem, Israel) | 233 |
| Role of solvent-head-group interaction on the formation of lyotropic liquid-crystals in structured non-aqueous solvents | |
| X. Auvray, C. Petipas (Mont-Saint-Aignan, France), A. Lattes and I. Rico-Lattes (Toulouse, France) | 247 |
| Effect of two water-soluble polymers on the stability of the AOT-H ₂ O-lamellar phase | |
| MF. Ficheux, AM. Bellocq and F. Nallet (Pessac, France) | 253 |
| Polymers in lyotropic liquid crystalline systems | |
| J. Kötz and S. Kosmella (Potsdam, Germany) | 265 |
| Transition from electrostatic to steric stabilization in foam films from ABA triblock copolymers of poly(ethylene | |
| oxide) and poly(propylene oxide) | |
| D. Exerowa, R. Sedev, R. Ivanova, T. Kolarov (Sofia, Bulgaria) and Th.F. Tadros (Bracknell, UK) | 277 |
| Formation of a surface complex between polymer and surfactant and its effect on the dispersion of solid particles | |
| S. Shimabayashi, T. Uno (Tokushima, Japan) and M. Nakagaki (Tokyo, Japan) | 283 |
| Grafting with hydrophilic polymer chains to prepare protein-resistant surfaces | |
| K. Holmberg (Stockholm, Sweden), F. Tiberg (Lund, Sweden), M. Malmsten (Stockholm, Sweden) and | |
| C. Brink (Stenungsund, Sweden) | 297 |
| Structure and solution properties of sodium carboxymethyl cellulose | |
| U. Kästner, H. Hoffmann (Bayreuth, Germany), R. Dönges and J. Hilbig (Wiesbaden, Germany) | 307 |
| Hydrolysis and condensation rates of tetramethyl orthosilicate in alcohol solutions of hydrated metal salts as | |
| determined by means of FT-IR spectroscopy | |
| G. Öye, F.O. Libnau, J. Sjöblom (Bergen, Norway) and S.E. Friberg (Potsdam, NY, USA) | 329 |
| Measurements of surface interactions | |
| P.M. Claesson (Stockholm, Sweden) | 339 |
| Surface properties of poly(ethylene imine)-coated mica surfaces—salt and pH effects | |
| P.M. Claesson, O.E.H. Paulson, E. Blomberg and N.L. Burns (Stockholm, Sweden) | 341 |
| Phase behaviour in slits—when tight cracks stay wet | |
| H.K. Christenson (Canberra, A.C.T., Australia) | 355 |
| Surface force measurements between cellulose surfaces using scanning probe microscopy | |
| M.W. Rutland, A. Carambassis (Sydney, NSW, Australia), G.A. Willing and R.D. Neuman | |
| (Auburn, AL, USA) | 369 |
| A novel method for studying the dynamic behavior of both plane-parallel and curved thin liquid films | |
| A.D. Nikolov and D.T. Wasan (Chicago, IL, USA) | 375 |
| Permeability of common black foam films to gas. Part 2. | |
| R. Krustev, D. Platikanov and M. Nedyalkov (Sofia, Bulgaria) | 383 |
| Layered solid particles as self-assembled films | |
| I. Dékány and T. Haraszti (Szeged, Hungary) | 391 |
| The skin barrier, a well-organized membrane | |
| J.A. Bouwstra (Leiden, The Netherlands) | 403 |
| Study of the composition and structure of pig stratum corneum based on the action of different solubilizing agents | |
| O. Lopez, A. de la Maza, L. Coderch and J.L. Parra (Barcelona, Spain) | 415 |
| Langmuir-Blodgett films in advanced molecular engineering | |
| K. Kurihara (Nagoya, Japan) | 425 |
| Organized polyelectrolyte monolayers as a structural model of biopolymer | .20 |
| N. Higashi and M. Niwa (Kyoto, Japan) | 433 |
| Supramolecular thin films via the Langmuir–Blodgett–Kuhn (LBK) technique | |
| R. Advincula (Mainz, Germany) and W. Knoll (Saitama, Japan) | . 443 |
| | |

| Contents of Vols. | . 123.124 | Colloids S | urfaces A | : Physicochem. | Eng. | Aspects | 123-124 | (1997) | vii-i | 'n |
|-------------------|-----------|------------|-----------|----------------|------|---------|---------|--------|-------|----|

| 1X | | | |
|----|--|--|--|
| | | | |
| | | | |
| | | | |
| | | | |

| Specific photoresponses of Langmuir–Blodgett films containing organized chromophores | 455 |
|---|-------|
| T. Nagamura (Hamamatsu, Japan) | . 45/ |
| W. Sui, G. Li, G. Xu, C. Ma (Jinan, People's Republic of China) and J. Tang (Beijing, People's Republic of | |
| China) | 472 |
| Influence of secondary and tertiary amines on the stability of stearic acid monolayers | . 4/3 |
| MH. Ese and J. Sjöblom (Bergen, Norway) | 470 |
| Adsorption of surfactants and polymers at the solid—liquid interface | . 4/9 |
| P. Somasundaran and S. Krishnakumar (New York, NY, USA) | 401 |
| Adsorption of polyvinylpyrrolidone on kaolinite | . 491 |
| A. Hild, JM. Séquaris, HD. Narres and M. Schwuger (Jülich, Germany) | 515 |
| | 313 |
| In-situ investigations of coadsorbed cationic surfactants on charged surfaces: a SERS microprobe study | 500 |
| E. Koglin, A. Tarazona, S. Kreisig and M.J. Schwuger (Juelich, Germany) | 523 |
| Surface crystallization of hexadecane at hexadecane/air and hexadecane/water interfaces and effect of proteins | 543 |
| K.S. Birdi (Copenhagen, Denmark) | 543 |
| Multivariate analysis of the size dependence of monodisperse silica particles prepared according to the sol-gel | |
| technique | |
| R. Lindberg, G. Sundholm (Helsinki, Finland), B. Pettersen, J. Sjöblom (Bergen, Norway) and S.E. Friberg | F 40 |
| (Potsdam, NY, USA) | 549 |
| Biomimetic strategies for the control of size, shape and self-organization of nanoparticles | |
| M.P. Pileni, J. Tanori and A. Filankembo (Paris, France) | 561 |
| Preparation of monodisperse silica particles in emulsion media | |
| J. Esquena, R. Pons, N. Azemar, J. Caelles and C. Solans (Barcelona, Spain) | 575 |
| The synthesis of PbS fine particles in the Triton X-100/C ₁₀ H ₂₁ OH/H ₂ O lamellar liquid crystal | 505 |
| R. Guo and T.Q. Liu (Yangzhou, People's Republic of China) | 58 |
| Colloid chemistry and modern instrumentation in offshore petroleum production and transport | 500 |
| J. Sjöblom, T. Skodvin, Ø. Holt (Bergen, Norway) and F.P. Nilsen (Fantoft, Norway) | 593 |
| Thin-film forces in hydrocarbon foam films and their application to gas-blocking foams in enhanced oil recovery | |
| V. Bergeron (Gif sur Yvette, France), J.E. Hanssen and F.N. Shoghl (Stavanger, Norway) | 609 |
| Viscosity measurements of water-in-crude-oil emulsions under flowing conditions: A theoretical and practical | |
| approach | (2) |
| O. Urdahl, A.O. Fredheim and KP. Løken (Trondheim, Norway) | 623 |
| Study of the mechanisms of wax prevention in a pipeline with glass inner layer | |
| M. Li (Beijing, China), J. Su (Jilin, China), Z. Wu (Beijing, China), Y. Yang (Jilin, China) and S. Ji | (2) |
| (Beijing, China) | 653 |
| Neglected aspects of food flavor perception | |
| M. Larsson and K. Larsson (Lund, Sweden) | 63 |
| Interfacial phenomena in the oral cavity | |
| PO. Glantz (Malmo, Sweden) | 65 |
| Delivery Systems in Cosmetics | (7) |
| S. Magdassi (Jerusalem, Israel) | 6/. |
| Microporous polymer composites from microemulsion polymerization | (0) |
| LM. Gan and CH. Chew (Singapore, Singapore) | 68 |
| Use of polyelectrolyte-surfactant complexes in colloid-enhanced ultrafiltration | |
| W. Guo, H. Uchiyama, E.E. Tucker, S.D. Christian and J.F. Scamehorn (Norman, OK, USA) | 69: |
| | 90 |
| Author Index | 70: |
| | 70 |
| Subject Index | /0 |